

中国总代理:Nano电子商城 Tel: 4006609565 19mro@19mro.com http://www.19mro.com

Revision Number: 003.5

Material Safety Data Sheet



1. PRODUCT AND COMPANY IDENTIFICATION

BONDERITE M-CR 1132 AERO known **IDH number:** Product name: 1445846 as ALODINE 1132 TOUCH-N-PREP COATI Product type: Coating 1445856 Item number: Region: **United States** Company address: Contact information: Henkel Corporation Telephone: 248.583.9300 32100 Stephenson Highway MEDICAL EMERGENCY Phone: Poison Control Center Madison Heights, MI 48071 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 Internet: www.henkelna.com 2. HAZARDS IDENTIFICATION **EMERGENCY OVERVIEW** HMIS: Physical state: Liquid HEALTH: *2 FLAMMABILITY: Color: 0 Yellow green Odor: Mild PHYSICAL HAZARD: 0 **Personal Protection:** See MSDS Section 8 WARNING: CAUSES EYE, SKIN AND RESPIRATORY TRACT IRRITATION. CONTAINS MATERIAL WHICH MAY CAUSE CANCER. MAY CAUSE ALLERGIC SKIN REACTION. Relevant routes of exposure: Skin, Inhalation, Eyes **Potential Health Effects** Inhalation: This product is irritating to the respiratory system. Skin contact: This product may cause irritation to the skin. Product contains chromium, which may cause an allergic skin sensitization reaction. Massive overexposures may lead to kidney failure and death. A component in this product may be absorbed through the skin in harmful amounts. Eve contact: This product may be severely irritating to the eves. Acute ingestion may result in mild gastrointestinal distress. May be harmful if swallowed. Ingestion: Existing conditions aggravated by Eye, skin and respiratory disorders. exposure: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%
Chromium III chromate	24613-89-6	0.1 - 1
Chromium compound	Proprietary	0.1 - 1

4. FIRST AID MEASURES		
Inhalation:	If mist or vapor of this product is inhaled, remove person immediately to fres air. Seek medical attention if symptoms develop or persist.	
Skin contact:	Remove contaminated clothing and footwear. For skin contact, flush with larg amounts of water. Seek immediate medical attention. Discard any shoes or clothing items that cannot be decontaminated.	
Eye contact:	In case of contact with the eyes, rinse immediately with plenty of water for 15 minutes, and seek immediate medical attention.	
Ingestion:	Get immediate medical attention. Do not induce vomiting. Give one to two glasses of water or milk. Never give anything by mouth to a victim who is unconscious or is having convulsions.	
5. F	IRE FIGHTING MEASURES	
Flash point:	Not applicable	
Autoignition temperature:	Not available.	
Flammable/Explosive limits - lower:	Not applicable	
Flammable/Explosive limits - upper:	Not applicable	
Extinguishing media:	Use media appropriate for surrounding material.	
Special firefighting procedures:	Wear full protective clothing. Wear self-contained breathing apparatus.	
Unusual fire or explosion hazards:	This product is an aqueous mixture which will not burn.	
Hazardous combustion products:	Irritating and toxic gases or fumes may be released during a fire.	
6 400	DENTAL RELEASE MEASURES	

personal protection recommended in Section 8, isolate the nazard area and deny entry to unnecessary and unprotected personnel.		
Environmental precautions:	Prevent further leakage or spillage if safe to do so. Wear appropriate protective equipment and clothing during clean-up.	
Clean-up methods:	Absorb spill with inert material. Shovel material into appropriate container for disposal. Dispose of according to Federal, State and local governmental regulations.	

7. HANDLING AND STORAGE

Handling:	Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Do not reuse the empty container. For industrial use only.
Storage:	For safe storage, store at or above 40 °F (4.4 °C)

For safe storage, store at or above 40 °F (4.4 °C) Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. Thaw and mix thoroughly if frozen.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Chromium III chromate	0.05 mg/m3 TWA (as Cr) 0.01 mg/m3 TWA (as Cr)	0.005 mg/m3 TWA 0.0025 mg/m3 OSHA_ACT 1 mg/m3 PEL (as Cr) 0.1 mg/m3 Ceiling	None	None
Chromium compound	None	1 mg/m3 PEL (as Cr) 0.5 mg/m3 PEL (as Cr)	None	None
Engineering controls:		and general exhaust ve p of any vapors or mist		
Respiratory protection:		not sufficient to effectiv priate NIOSH/MSHA re		
Eye/face protection:	Wear chemica	l goggles; face shield (i	if splashing is possibl	e).
Skin protection:	Chemical resis are recommen	stant, impermeable glov ded.	ves. Use of imperviou	s apron and boots

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor:	Liquid Yellow green Mild
Odor threshold: pH:	Not available. 2.1 - 2.5
Vapor pressure:	Not determined
Boiling point/range:	> 100 °C (> 212°F)
Melting point/ range:	Not determined
Specific gravity:	1.00 - 1.01 at 60 °F (15.56 °C)
Vapor density:	Not determined
Flash point:	Not applicable
Flammable/Explosive limits - lower:	Not applicable
Flammable/Explosive limits - upper:	Not applicable
Autoignition temperature:	Not available.
Evaporation rate:	Not determined
Solubility in water:	Miscible
Partition coefficient (n-octanol/water):	Not available.
VOC content:	Not applicable

10. STABILITY AND REACTIVITY

Stability:	Stable at normal conditions.
Hazardous reactions:	Will not occur.
Hazardous decomposition products:	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Incompatible materials:	Avoid contact with organic materials, oils, greases, and any oxidizable materials.
Conditions to avoid:	Do not allow chemical to dry in the presence of organic materials.

11. TOXICOLOGICAL INFORMATION

Hazardous components	NTP Carcinogen		IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)	
Chromium III chromate	Known To Be Human Carcinogen.		Group 1	Yes	
Chromium compound	No		No	No	
Hazardous components			Health Effects/Targe	t Organs	
Chromium III chromate		Allergen, Irritant, Respiratory			
Chromium compound			Allergen, Irritant, Metabolic, Respiratory		

12. ECOLOGICAL INFORMATION

Ecological information:

Harmful to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Hazardous waste number:

This product contains chromium which is a hazardous waste (D007).

Dispose of according to Federal, State and local governmental regulations.

14. TRANSPORT INFORMATION

The shipping classification in this section are for bulk packaging only. Shipping classification may be different for non-bulk packaging as exceptions may apply. Refer to shipping documents for package specific transportation classification.

.

U.S. Department of Transportation Groun	ud (49 CFR)
Proper shipping name:	Environmentally hazardous substances, liquid, n.o.s.
Hazard class or division:	9
Identification number:	UN 3082
Packing group:	III
DOT Reportable quantity:	Chromic acid
International Air Transportation (ICAO/IA	TA)
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (Chromium(III)-chromate)
Hazard class or division:	9
Identification number:	UN 3082
Packing group:	III
Water Transportation (IMO/IMDG)	
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chromium(III)-chromate)
Hazard class or division:	9
Identification number:	UN 3082
Packing group:	III
Marine pollutant:	Chromium(III)-chromate
Exceptions:	Classified per IMDG Amendment 34; Effective Jan 1, 2010.
-	

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.
TSCA 12 (b) Export Notification:	Chromium III chromate (CAS# 24613-89-6).

IDH number: 1445846

CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313: CERCLA Reportable quantity:	None above reporting de minimis Immediate Health, Delayed Health This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Chromium III chromate (CAS# 24613-89-6). Chromic acid (CAS# 7738-94-5) 10 lbs. (4.54 kg)
California Proposition 65:	This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
Canada Regulatory Information	
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic Substances List
WHMIS hazard class:	D.2.A, D.2.B

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: New information added in Section(s): 14

Prepared by: John DiCerbo, Sr. Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.